

LITERATURE CITED

- Arnason, A. N., C. J. Schwarz, and G. Boyer. 1998. POPAN-5: A data maintenance and analysis system for mark-recapture data. Scientific Report, Department of Computer Science, University of Manitoba, Winnipeg, viii+265p.
- Barco, S. G., W. M. Swingle, W. A. McLellan, R. N. Harris, and D. A. Pabst 1999. Local abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. *Marine Mammal Science* 15:394-408.
- Barros, N. B. and D. K. Odell. 1990. Food habits of bottlenose dolphins in the southeastern United States. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, San Diego, California.
- Belda, E. J. and A. Sánchez. 2001. Seabird mortality on longline fisheries in the western Mediterranean: factors affecting bycatch and proposed mitigating measures. *Biological Conservation* 98:357-363.
- Berger, J. O. 1985. *Statistical decision theory and Bayesian analysis*. Second edition. Springer-Verlag, New York, NY.
- Best, P. B. and L. G. Underhill. 1990. Estimating population size in southern right whales (*Eubalaena australis*) using naturally marked animals. Report of the International Whaling Commission. special Issue 12:183-189.
- Blaylock, R. A. 1995. A pilot study to estimate abundance of the U.S. Atlantic coastal migratory bottlenose dolphin. NOAA Technical Memorandum NMFS-SEFSC-362, 9 pp.
- Blaylock, R. A. and W. Hoggard 1994. Preliminary estimates of bottlenose dolphin abundance in southern U.S. Atlantic and Gulf of Mexico continental shelf waters. NOAA Technical memorandum. NMFS-SEFSC-356, 10 pp.
- Bravington, M. V. and K. D. Bisack 1996. Estimates of harbor porpoise bycatch in the Gulf of Maine sink gillnet fishery, 1990-1993. Report of the International Whaling Commission 46:567-574.
- Buckland, S.T., Anderson, D.R., Burnham, K.P. and Laake, J.L. 1993. *Distance Sampling: Estimating Abundance of Biological Populations*. Chapman and Hall, London. 446pp.

- Burney, D. A., H. F. James, L. P. Burney, S. L. Olson, W. Kikuchi, W. L. Wagner, M. Burney, D. McCloskey, D. Kikuchi, F. V. Grady, R. Gage II, and R. Nishek. 2001. Fossil evidence for a diverse biota from Kaua'i and its transformation since human arrival. *Ecological Monographs*. 71:615-641.
- Calambokidis, J. G. H. Steiger, J. M. Straley, L. M. Herman, S. Cerchio, D. R. Salden, J. Urbán R., J. K. Jacobsen, O. von Ziegesar, K. C. Balcomb, C. M. Gabriele, M. E. Dahlheim, S. Uchida, G. Ellis, Y. Miyamura, P. L. De Guevara P., M. Yamaguchi, F. Sato, S. A. Mizroch, L. Schlender, K. Rasmussen, J. Barlow, and T. J. Quinn II. 2001. Movements and population structure of humpback whales in the North Pacific. *Marine Mammal Science* 17:769-794.
- Caldwell, M., M. S. Gaines, P. Rosel, and C. H. Hughes. 2001. Behavioral and genetic data clearly distinguish three parapatric *Tursiops truncatus* populations. Abstract. The 14th Biennial Conference on the Biology of Marine Mammals. November 28 – December 3, 2001. Vancouver, B.C., Canada.
- Cameron, C. R. Barker, D. Fletcher, E. Slooten, and S. Dawson. 1999. Modelling survival of Hector's dolphins around Banks Peninsula, New Zealand. *Journal of Agricultural, Biological, and Environmental Statistics* 4:126-135.
- Caley, M. J., K. A. Buckley, and G. P. Jones. 2001. Separating ecological effects of habitat fragmentation, degradation, and loss on coral commensals. *Ecology* 82:3435-3448.
- Carlin, B. P. and T. A. Louis. 2000. Bayes and empirical Bayes methods for data analysis. Chapman and Hall/CRC, Boca Raton, FL.
- Castledine, B. J. 1981. A Bayesian analysis of multiple-recapture sampling for a closed population. *Biometrika* 67:197-210.
- Cerchio, S. 1998. Estimates of humpback whale abundance off Kauai, 1989 to 1993: evaluating biases associated with sampling the Hawaiian Islands breeding assemblages. *Marine Ecology Progress Series* 175:23-34.
- Cerchio, S., C. M. Gabriele, T. F. Norris, and L. M. Herman. 1998. Movements of humpback whales between Kauai and Hawaii: implications for population structure and abundance estimation in the Hawaiian Islands. *Marine Ecology Progress Series* 175:13-22.
- Connor, R. C. and R. A. Smolker. 1985. Habituated dolphins (*Tursiops* sp.) in Western Australia. *Journal of Mammalogy* 66:398-400.
- Curry, B. E. 1997. Phylogenetic relationships among bottlenose dolphins (Genus *Tursiops*) in a worldwide context. Ph.D. Dissertation. Texas A&M University.

- Curry, B. E. and J. Smith. 1998. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): Stock identification and implications for management. Pages 227-247 in A. E. Dizon, S. J. Chivers, and W. F. Perrin, Eds. Molecular genetics of marine mammals. Special Publication Number 3. The Society for Marine Mammalogy, Lawrence KS.
- Curry, B. E., M. Milinkovitch, J. Smith, and A. E. Dizon. 1995. Stock structure of bottlenose dolphins, *Tursiops truncatus*. Abstracts, Eleventh Biennial Conference on the Biology of Marine Mammals. 14-18 December 1995, Orlando, FL. The Society for Marine Mammalogy.
- Crowder, L. B., D. T. Crouse, S. S. Heppell, and T. H. Martin. 1994. Predicting the impact of turtle excluder devices on loggerhead sea turtle populations. *Ecological Applications* 4:437-445.
- Dennis, B. 1986. Discussion: should ecologists become Bayesians? *Ecological Applications* 6:1095-1103.
- Dhondt, A. A. 2002. Discussion comments 'Multistate recapture models: modelling incomplete individual histories' – why are we doing all this? *Journal of Applied Statistics* 29:371-372.
- Doak, D., P. Kareiva, and B. Klepetka. 1994. Modeling population viability for the desert tortoise in the western Mojave desert. *Ecological Applications* 4:446-460.
- Duffield, D. A., S. H. Ridgway, and L. H. Cornell. 1983. Hematology distinguishes coastal and offshore forms of dolphins (*Tursiops*). *Canadian Journal of Zoology*. 61:930-933.
- Duignan, P. J., C. House, D. K. Odell, R. S. Wells, L. J. Hansen, M. T. Walsh, D. J. St. Aubin, B. K. Rima, and J. R. Geraci. 1996. Morbillivirus infection in bottlenose dolphins: evidence for recurrent epizootics in the western Atlantic and Gulf of Mexico. *Marine Mammal Science* 12:499 – 515.
- Edwards, A. W. F. 1992. Likelihood. Expanded edition. The Johns Hopkins University Press. Baltimore, MD.
- Eguchi, T. 2002. A method for calculating the effect of a die-off from stranding data. *Marine Mammal Science* 18:698-709.
- Ellison, A. M. 1996. An introduction to Bayesian inference for ecological research and environmental decision-making. *Ecological Applications* 6:1036-1046.
- Fernandez, S. and A. A. Hohn. 1998. Age, growth, and calving season of bottlenose dolphins, *Tursiops truncatus*, off coastal Texas. *Fishery Bulletin* 96:357-365.

- Freeman, P. R. 1972. Sequential estimation of the size of a population. *Biometrika* 59:9-17.
- Gabriele, C., J. M., J. M. Straley, S. A. Mizroch, C. S. Baker, A. S. Craig, L. M. Herman, F. D. Glockner, M. J. Ferrari, S. Cerchio, O. von Ziegesar, J. Darling, D. McSweeney T. J. Quinn II, J. K. Jacobsen. 2001. Estimating the mortality of humpback whale calves in the central North Pacific Ocean. *Canadian Journal of Zoology* 79:589-600.
- Gaskel, T. J. and B. J. George. 1972. A Bayesian modification of the Lincoln index. *Journal of Applied Ecology* 9:377-384.
- Gazey, W. J. and M. J. Staley. 1986. Population estimation from mark-recapture experiments using a sequential Bayes algorithm. *Ecology* 67:941-951.
- Gelman, A., J. B. Carlin, H. S. Stern, and D. B. Rubin. 1995. *Bayesian data analysis*. Chapman and Hall/CRC. Boca Raton, FL.
- Geraci, J. R., J. Harwood, and V. J. Lounsbury 1999. Marine mammal die-offs. Causes, investigations, and issues. *In Conservation and management of marine mammals*. J. R. Twiss Jr. and R. R. Reeves. Eds. Smithsonian Institution Press, Washington D. C. 471pp.
- Gerrodette, T. and W.G. Gilmartin 1990. Demographic consequences of changed pupping and hauling sites of the Hawaiian monk seal. *Conservation Biology*. 4:423-430.
- Gilman, E. 2001. Integrated management to address the incidental mortality of seabirds in longline fisheries. *Aquatic Conservation* 11:391-414.
- Goodman, D. 2002. Extrapolation in risk assessment: improving the quantification of uncertainty, and improving information to reduce the uncertainty. *Human and Ecological Risk Assessment* 8:177-192.
- Gorzelany, J. F. 1998. Unusual deaths of two free-ranging Atlantic bottlenose dolphins (*Tursiops truncatus*) related to ingestion of recreational fishing gear. *Marine Mammal Science*. 14:614-617.
- Gubbins, C. 2002a. Use of home ranges by resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary. *Journal of Mammalogy* 83:178-187.
- Gubbins, C. 2002b. Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary. *Aquatic Mammals* 28:24-31.

- Gunter, G. 1942. Contributions to the natural history of the bottlenose dolphin, *Tursiops truncatus* (Montagu), on the Texas coast, with particular reference to food habits. *Journal of Mammalogy*. 23:267-276.
- Hammond, P. S. 1986. Estimating the size of naturally marked whale populations using capture-recapture techniques. Report of the International Whaling Commission, Special Issue 8:253-282.
- Hammond, P. S. and P. M. Thompson 1991. Minimum estimate of the number of bottlenose dolphins *Tursiops truncatus* in the Moray Firth, NE Scotland. *Biological Conservation*. 56:79-87.
- Hammond, P.S., S. A. Mizroch, and G. P. Donovan (Editors). 1990. Individual recognition of cetaceans: use of photo-identification and other techniques to estimate population parameters. Report of the International Whaling Commission, Special Issue No.12.
- Hastings, W. K. 1970. Monte Carlo sampling methods using Markov chains and their applications. *Biometrika* 57:97-109.
- Hersh, S. L. 1987. Mortality, natality, migration and organismic growth rates of bottlenose dolphins (Genus *Tursiops*): a review and management considerations. Final Report to NMFS SEFC, contract number 40GENF700715. 36 pp.
- Hersh, S. L. and D. A. Duffield. 1990. Distinction between Northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, Inc. San Diego, California.
- Hilborn, R., E. K. Pikitch, M. K. McAllister. 1994. A Bayesian estimation and decision analysis for an age-structured model using biomass survey data. *Fisheries Research* 19:17-30.
- Hohn, A. 1980. Age determination and age related factors in the teeth of western North Atlantic bottlenose dolphins. *Scientific Reports for Whales Research Institute*, Tokyo. 32:39-66.
- Hohn, A. 1990. Reading between the lines: analysis of age estimation in dolphins. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, San Diego, California.
- Hohn, A. 1997. Design for a multiple-method approach to determine stock structure of bottlenose dolphins in the mid-Atlantic. Report of a workshop, 11-12 February 1997. NOAA Technical Memorandum NMFS-SEFSC-401. 22 pp.

- Hwang, W. -D. and A. Chao. 1995. Quantifying the effects of unequal catchability on Jolly-Seber estimators via sample coverage. *Biometrics* 51:128-141.
- Irvine, A. B., M. D. Scott, R. S. Wells, and J. H. Kaufmann. 1981. Movements and activities of the Atlantic bottlenose dolphin, *Tursiops truncatus*, near Sarasota, Florida. *Fishery Bulletin* 79:671-688.
- Johnson, D. H. 1999. The insignificance of statistical significance testing. *Journal of Wildlife Management* 63:763-772.
- Kendall, W. L. 1999. Robustness of closed capture-recapture methods to violations of the closure assumption. *Ecology* 80:2517-2525.
- Kendall, W. L. and R. Bjorkland. 2001. Using open robust design models to estimate temporary emigration from capture-recapture data. *Biometrics* 57:1113-1122.
- Kendall, W. L., K. H. Pollock, and C. Brownie. 1995. A likelihood-based approach to capture-recapture estimation of demographic parameters under the robust design. *Biometrics* 51:293-308.
- Kendall, W. L., J. D. Nichols, and J. E. Hines. 1997. Estimating temporary emigration using capture-recapture data with Pollock's robust design. *Ecology* 78:563-578.
- Kenney, R. D. 1990. Bottlenose dolphins off the northeastern United States. *In* S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, Inc. San Diego, California.
- Kenney, R. D. and S. D. Kraus. 1993. Right whale mortality – A correction and an update. *Marine Mammal Science* 9:445-446.
- Kinas, P. G. and C. B. P. Bethlem. 1998. Empirical Bayes abundance estimation of a closed population using mark-recapture data, with application to humpback whales, *Megaptera novaeangliae*, in Abrolhos, Brazil. *Report of the International Whaling Commission* 48:447-450.
- King, R. and S. P. Brooks. 2001. On the Bayesian analysis of population size. *Biometrika* 88:317-336.
- Kraus, S. D. 1990. Rates and potential causes of mortality in North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science* 6:278-291.
- Leatherwood, S. and R. R. Reeves. 1983. *The Sierra club handbook of whales and dolphins*. Sierra Club Books, San Francisco, California.

- Leatherwood, S., R. R. Reeves, W. F. Perrin, and W. E. Evans. 1988. Whales, dolphins, and porpoises of the eastern north Pacific and adjacent Arctic waters. Dover Publications, Inc. New York, New York.
- Lee, P. M. 1997. Bayesian statistics: An introduction. Second edition. John Wiley & Sons Inc., New York, NY.
- Lindberg, M. S., W. L. Kendall, J. E. Hines, and M. G. Anderson. 2001. Combining band recovery data and Pollock's robust design to model temporary and permanent emigration. *Biometrics* 57:273-281.
- Lipscomb, P. T., Y. Schulman, D. Moffett, and S. Kennedy. 1994. Morbilliviral disease in Atlantic bottlenose dolphins (*Tursiops truncatus*) from the 1987 – 1988 epizootic. *Journal of Wildlife Diseases* 30:567 – 571.
- Ludwig, D. 1996. Uncertainty and the assessment of extinction probabilities. *Ecological Applications* 6:1067-1076.
- Løkkeborg, S. and G. Robertson. 2002. Seabird and longline interactions: effects of a bird-scaring streamer line and line shooter on the incidental capture of northern fulmars *Fulmarus glacialis*. *Biological Conservation* 106:359-364.
- Mangel, M. 1993. Effects of high-seas driftnet fisheries on the northern right whale dolphin *Lissodelphis borealis*. *Ecological Applications* 3:221-229.
- Marmontel, M. S. R. Humphrey, T. J. O'Shea. 1997. Population viability analysis of the Florida manatee (*Trichechus manatus latirostris*), 1976-1991. *Conservation Biology* 11:467-481.
- Martinez, W. L. and A. R. Martinez. 2002. Computational statistics handbook with MATLAB®. Chapman and Hall/CRC, Boca Raton, FL.
- Mate, B. R., K. A. Rossbach, S. L. Nieukirk, R. S. Wells, A. B. Irvine, M. D. Scott, A. R. Read. 1995. Satellite-monitored movements and dive behavior of a bottlenose dolphin (*Tursiops truncatus*) in Tampa Bay, Florida. *Marine Mammal Science*. 11:452-463.
- McFee, W. E. and S. R. Hopkins-Murphy. 2002. Bottlenose dolphin (*Tursiops truncatus*) strandings in South Carolina, 1992-1996. *Fishery Bulletin* 100:258-265.
- Mead, J. G. 1975. Preliminary report on the former net fisheries for *Tursiops truncatus* in the Western North Atlantic. *Journal of Fisheries Research Board of Canada* 32:1155-1162.

- Mead, J. G. and C. W. Potter. 1990. Natural history of bottlenose dolphins along the central Atlantic coast of the United States. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, San Diego, California.
- Melvin, E. F., J. K. Parrish, and L. L. Conquest. 1999. Novel tools to reduce seabird bycatch in coastal gillnet fisheries. *Conservation Biology* 13:1386-1397.
- Mercer, M. C. 1973. Observations on distribution and intraspecific variation in pigmentation patterns of odontocete cetacea in the western North Atlantic. *Journal of Fisheries Research Board of Canada* 30:1111-1130.
- Metropolis, N. A. W. Rosenbluth, M. N. Rosenbluth, A. H. Teller, and E. Teller. 1953. Equation of state calculations by fast computing machines. *The Journal of Chemical Physics*. 21:1087-1092.
- National Research Council. 1990. Decline of the sea turtles. Causes and prevention. National Academy Press, Washington D.C. 259 pp.
- Odell, D. K., and E. D. Asper. 1990. Distribution and movements of freeze-branded bottlenose dolphins in the Indian and Banana rivers, Florida. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, San Diego, California.
- Palka, D. L. and M. C. Rossman. 2001. Bycatch estimates of coastal bottlenose dolphin (*Tursiops truncatus*) in U.S. Mid-Atlantic gillnet fisheries for 1996 to 2000. Northeast Fisheries Science Center Reference Document 01-15; 77 p.
- Perrin, W. F. 1984. Patterns of geographical variation in small cetaceans. *Acta Zoologica, Fennica*. 172:137-140.
- Pollock, K. H. 1982. A capture-recapture design robust to unequal probability of capture. *Journal of Wildlife Management* 46:752-757.
- Poole, D. 2002. Bayesian estimation of survival from mark-recapture data. *Journal of Agricultural, Biological, and Environmental Statistics* 7:264-276.
- Punt, A. E. and D. S. Butterworth. 1997. Assessments of the Bering-Chukchi-Beaufort Seas stock of bowhead whales (*Balaena mysticetus*) using maximum likelihood and Bayesian methods. *Report of the International Whaling Commission* 47:603-618.
- Punt, A. E., D. S. Butterworth, and S. Wada. 2000. On the use of allele frequency data within a Bayesian framework: evaluation of the relative probabilities of alternative stock structure hypotheses for North Pacific minke whales. *Journal of Cetacean Research and Management* 2:151-158.

- Raftery, A. E. 1988. Inference for the binomial N parameter: A hierarchical Bayes approach. *Biometrika* 75:223-228.
- Raftery, A. E., G. H. Givnes, and J. E. Zeh. 1995. Inference from a deterministic population dynamics model for bowhead whales. *Journal of the American Statistical Association* 90:402-416.
- Read, A. J., R. S. Wells, A. A. Hohn, and M. D. Scott. 1993. Patterns of growth in wild bottlenose dolphins, *Tursiops truncatus*. *Journal of Zoology, London*. 231:107-123.
- Read, A. J. K. W. Urian, B. Wilson, and D. M. Waples. 2003. Abundance of bottlenose dolphins in the bays, sounds, and estuaries of North Carolina. *Marine Mammal Science* 19:59-73
- Reckhow, K. H. 1990. Bayesian inference in non-replicated ecological studies. *Ecology* 71:2053-2059.
- Reilly, S. B. and J. Barlow. 1986. Rates of increase in dolphin population size. *Fishery Bulletin* 84:527-532.
- Rice, D. W. 1998. Marine mammals of the world. Systematics and distribution. Special Publication Number 4. The Marine Mammal Society.
- Robert, C. P. 1994. The Bayesian choice. A decision-theoretic motivation. Springer-Verlag, New York, NY.
- Robertson, G. 1998. The culture and practice of longline tuna fishing: implications for seabird by catch-mitigation. *Bird Conservation International*. 8:211-221.
- Romanov, E. V. 2002. Bycatch in the tuna purse-seine fisheries of the western Indian Ocean. *Fishery Bulletin* 100:90-105.
- Ross, G. J. B. and V. G. Cockcroft. 1990. Comments on Australian bottlenose dolphins and the taxonomic status of *Tursiops aduncus* (Echrenberg, 1832). In S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, San Diego, California.
- Royal, R. 1997. *Statistical evidence: A likelihood paradigm*. Chapman and Hall, New York, NY.
- Ryan, P. G. and B. P. Watkins. 2002. Reducing incidental mortality of seabirds with an underwater longline setting funnel. *Biological Conservation* 104:127-131.
- Ryan, P. G. and H. C. Boix. 1998. Tuna longline fisheries off southern Africa: The need to limit seabird bycatch. *South African Journal of Science*. 94:179-182.

- Schwarz, C. J. and G. A. F. Seber 1999. Estimating animal abundance: review III. *Statistical Science* 14:427-456.
- Schwarz, C. J. and W. T. Stobo. 1997. Estimating temporary migration using the robust design. *Biometrics* 53:178-194.
- Scott, G. P., D. M. Burn, and L. J. Hansen. 1988. The dolphin dieoff: Long-term effects and recovery of the population. *Proceedings of the Oceans '88 Conference*:819 – 823.
- Scott, M. D. and S. J. Chivers. 1990. Distribution and herd structure of bottlenose dolphins in the eastern tropical Pacific Ocean. *In* S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, San Diego, California.
- Scott, M. D., R. S. Wells, A. B. Irvine, and B. R. Mate. 1990a. Tagging and marking studies on small cetaceans. *In* S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, San Diego, California.
- Scott, M. D., R. S. Wells, and A. B. Irvine. 1990b. A long-term study of bottlenose dolphins on the west coast of Florida. *In* S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, San Diego, California.
- Seber, G. A. F. 1982. *The estimation of animals abundance and related parameters*. 2nd Edition. Macmillan Publishing Co., Inc. New York, NY.
- Slooten, E., S. M. Dawson, and F. Lad. 1992. Survival rates of photographically identified Hector's dolphins from 1984 to 1988. *Marine Mammal Science* 8:327-343.
- Slooten, E., S. M. Dawson, and H. Whitehead. 1993. Associations among photographically identified Hector's dolphins. *Canadian Journal of Zoology* 71:2311-2318.
- Smith, A. F. M. and A. E. Gelfand. 1992. Bayesian statistics without tears: A sampling-resampling perspective. *The American Statistician* 46:84-88.
- Smith, P. J. 1991. Bayesian analyses for a multiple capture-recapture model. *Biometrika* 78:299-407.
- Steiger, G. H. and J. Calambokidis. 2000. Reproductive rates of humpback whales off California. *Marine Mammal Science* 16:220-239.
- Stolen, M. K., D. K. Odell, and N. B. Barros. 2002. Growth of bottlenose dolphins (*Tursiops truncatus*) from the Indian River Lagoon system, Florida, U.S.A. *Marine Mammal Science* 18:348-357.

- Tanaka, S. 1987. Satellite radio tracking of bottlenose dolphins *Tursiops truncatus*. Nippon Suisan Gakkaishi 53:1327-1338.
- Taylor, B. L. and P. R. Wade. 2000. "Best" abundance estimates and best management: why they are not the same. *In* Quantitative methods for conservation biology. Eds. Scott Ferson and Mark Burgman. Springer-Verlag Inc. New York, NY. 322pp.
- Taylor, B. L., P. R. Wade, R. A. Stehn, and J. F. Cochrane. 1996. A Bayesian approach to classification criteria for Spectacled Eiders. *Ecological Applications* 6:1077-1089.
- Thompson, G. G. 1992. A Bayesian approach to management advice when stock-recruitment parameters are uncertain. *Fishery Bulletin*. 90:561-573.
- Tolley, K. A., A. J. Read, R. S. Wells, K. W. Urian, M. D. Scott, A. B. Irvine, and A. A. Hohn. 1995. Sexual dimorphism in wildlife bottlenose dolphins (*Tursiops truncatus*) from Sarasota, Florida. *Journal of Mammalogy* 76:1190-1198.
- Trippel, E. A., J. Y. Wang, M. B. Strong, L. S. Carter, and J. D. Conway. 1996. Incidental mortality of harbour porpoise (*Phocoena phocoena*) by the gill-net fishery in the lower Bay of Fundy. *Canadian Journal of Fisheries and Aquatic Sciences* 53:1294-1300.
- Urian, K. W., D. A. Duffield, A. J. Read, R. S. Wells, and E. D. Shell. 1996. Seasonality of reproduction in bottlenose dolphins, *Tursiops truncatus*. *Journal of Mammalogy* 77:394-403.
- Urian, K., A. Hohn and L. Hansen. 1999. Status of the photo-identification catalog of coastal bottlenose dolphins of the western North Atlantic: Report of a workshop of catalog contributors. NOAA Tech. Memo. NMFS-SEFSC-425. 24 pp.
- Van Waerebeek, K. V., J. C. Reyes, A. J. Read, and J. S. McKinnon. 1990. Preliminary observations of bottlenose dolphins from the Pacific coast of South America. *In* S. Leatherwood and R. R. Reeves. Eds. The bottlenose dolphin. Academic Press, San Diego, California.
- Vinther, M. 1999. Bycatches of harbour porpoises (*Phocoena phocoena* L.) in Danish set-net fisheries. *Journal of Cetacean Research and Management* 1:123-135.
- Wade, P. R. 1998. Calculating limits to the allowable human-caused mortality of cetaceans and pinnipeds. *Marine Mammal Science* 14:1-37.
- Wade, P. R. 2000. Bayesian methods in conservation biology. *Conservation Biology* 14:1308-1316.

- Wade, P. R. 2001. The conservation of exploited species in an uncertain world: novel methods and the failure of traditional techniques. *In* Conservation of Exploited Species. J. D. Reynolds, G. M. Mace, K. H. Redford, and J. G. Robinson. Eds. Cambridge University Press, Cambridge, U.K.
- Wang, K. R., P. M. Payne, and V. G. Thayer. 1994. Coastal stock(s) of Atlantic bottlenose dolphin: status review and management. Proceedings and recommendations from a workshop held in Beaufort, North Carolina, 13-14 September 1993. NOAA Technical Memorandum NMFS-OPR-4, October 1994
- Waring, G. T., D. L. Palka, K. D. Mullin, J. H. W. Hain, L. J. Hansen, K. D. Bisack. 1997. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 1996. NOAA Technical Memorandum NMFS-NE-114.
- Waring, G. T., J. M. Quintal, and S. L. Swartz. 2001. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2001. NOAA Technical Memorandum NMFS-NE-168.
- Waring, G. T., J. M. Quintal, C. P. Fairfield. 2002. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2002 (draft). NOAA Technical Memorandum NMFS-NE.
- Warren, M. S., J. K. Hill, J. A. Thomas, J. Asher, R. Fox, B. Huntley, D. B. Roy, M. G. Telfer, S. Jeffcoate, P. Harding, G. Feffcoate, S. G. Willis, J. N. Greatorex-Davies, D. Moss, and C. D. Thomas. 2001. Rapid response of British butterflies to opposing forces of climate and habitat change. *Nature* 414:65-69.
- Weigle, B. 1990. Abundance, distribution and movements of bottlenose dolphins (*Tursiops truncatus*) in lower Tampa Bay, Florida. Report of the International Whaling Commission, Special Issue 12:195-201.
- Weimerskirch, H., N. Brothers, and P. Jouventin. 1997. Population dynamics of Wandering Albatross *Diomedea exulans* and Amsterdam Albatross *D. amsterdamensis* in the Indian Ocean and their relationships with long-line fisheries: conservation implications. *Biological Conservation* 79:257-270.
- Wells, R. S. and M. D. Scott. 1990. Estimating bottlenose dolphin population parameters from individual identification and capture-release techniques. Report of the International Whaling Commission, Special issue 12:407 – 415.
- Wells, R. S., H. L. Rhinehart, P. Cunningham, J. Whaley, M. Baran, C. Koberna, and D. P. Costa. 1999. Long distance offshore movements of bottlenose dolphins. *Marine Mammal Science* 15:1098-1114.

- Wells, R. S., L. J. Hansen, A. Baldrige, T. P. Dohl, D. L. Kelly, and R. H. DeFran. 1990. Northward extension of the range of bottlenose dolphins along the California coast. *In* S. Leatherwood and R. R. Reeves. Eds. *The bottlenose dolphin*. Academic Press, San Diego, California.
- White, G.C. and K. P. Burnham. 1999. Program MARK: Survival estimation from populations of marked animals. *Bird Study* 46 Supplement:120-138.
- Wiley, D. N., F. W. Wenzel, and S. B. Young. 1994. Extralimital residency of bottlenose dolphins in the western North Atlantic. *Marine Mammal Science* 10:223-226.
- Williams, B. K., J. D. Nichols, and M. J. Conroy. 2001. *Analysis and management of animal populations. Modeling, estimation, and decision making*. Academic Press, San Diego, CA.
- Williams, J. A., S. M. Dawson, and E. Slooten. 1993. The abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in Doubtful Sound, New Zealand. *Canadian Journal of Zoology* 71:2080-2088.
- Wilson, B. P. S. Hammond, and P. M. Thompson. 1999. Estimating size and assessing trends in a coastal bottlenose dolphin population. *Ecological Applications* 9:288-300.
- Zolman, E. S. 2002. Residence patterns of bottlenose dolphins (*Tursiops truncatus*) in the Stono River estuary, Charleston County, South Carolina, U.S.A. *Marine Mammal Science* 18:879-892.
- Zucchini, W. and A. Channing 1986. Bayesian estimation of animal abundance in small populations using capture-recapture information. *South African Journal of Science* 82:137-140.